

ORIGINAL[®] Plymoth

AIRPURIFIERS

Product Catalogue
2021-11-01



Call us at +46 40 70015 or E-mail: info@plymoth.com

J. Plymoth AB. Östra Varvsgatan 4, 211 75 Malmö. Tel. 040-70015 · Fax. 040-30 26 92
E-mail: info@plymoth.com · Website: www.plymoth.com

Catalogue







J. Plymoth AB. Östra Varvsgatan 4, 211 75 Malmö.
Tel. 040-70015 · Fax. 040-30 26 92

E-MAIL: INFO@PLYMOTH.COM · WEBSITE: WWW.PLYMOTH.COM

CATALOGUE	2
1. VBF-S HEPA-H14 AIRPURIFIERS	3
2. VBF-F HEPA-H14 AIRPURIFIERS	5
3. VBF-OFFICE HEPA-H14 AIRPURIFIERS	7
4. VBF-ADO HEPA-H14 AIRPURIFIERS	9
5. VBF/H-ADO HEPA-H14 AIRPURIFIERS	11
6. VBF "SUPERIOR 2-ZONE" HEPA-H14 AIRPURIFIERS	13
7. VBF "PERFECT SPOT" HEPA-H14 AIRPURIFIERS	16
8. VBF "H-SPOT" HEPA-H14 AIRPURIFIERS	19


Catalogue 2021-11-01

Art. Nr.

1. VBF-S HEPA-H14 Airpurifiers			
P00796-AG P00796-OB P00796-MB P00796-GB	VBF-S/700 HEPA-H14. EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8M2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 570(W)x610(D)x1100(H)		
P00798-AG P00798-OB P00798-MB P00798-GB	VBF-S/1000 HEPA-H14. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-H14(13m2). EN 1822 (99.995%) Prefilter F5/G4. ISO COARE 70% 4x125mm Castors with Brakes. 520(W)x610(D)x1325(H).		
P00800	Replacement Prefilter for all VBF-700 Models. F5/G4.ISO COARE 70% 457x457x50mm.		
P00801	Replacement Prefilter for all VBF-1000 Models. F5/G4.ISO COARE 70% 457x457x100mm.		
P00802	Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.		
P00803	Replacement HEPA H14 (13m2) for all VBF-1000 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x150mm		







Catalogue 2021-11-01

Art. Nr.

P00580	Legs 4x125mm for all VBF-700/1000 Models.		
--------	---	--	---


Catalogue 2021-11-01

Art. Nr.

2. VBF-F HEPA-H14 Airpurifiers			
P00896-AG P00896-OB P00896-MB P00896-GB	VBF-F/700 HEPA-H14. EC 1-phase, 220V, 50/60Hz, 75W. HEPA-H14(8M2). EN 1822 (99.995%) Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 570(W)x610(D)x1100(H)		
P00897-AG P00897-OB P00897-MB P00897-GB	VBF-F/1000 HEPA-H14. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-H14(13m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 520(W)x610(D)x1325(H).		
P00800	Replacement Prefilter for all VBF-700 Models. F5/G4.ISO COARE 70% 457x457x50mm.		
P00801	Replacement Prefilter for all VBF-1000 Models. F5/G4.ISO COARE 70% 457x457x100mm.		
P00802	Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.		
P00803	Replacement HEPA H14 (13m2) for all VBF-1000 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x150mm		







Catalogue 2021-11-01

Art. Nr.

P00580	Legs 4x125mm for all VBF-700/1000 Models.		
--------	---	--	---


Catalogue 2021-11-01

Art. Nr.

3. VBF-Office HEPA-H14 Airpurifiers			
P00898-AG P00898-OB P00898-MB P00898-GB	VBF-Office/700 HEPA-H14. EC 1-phase, 220V, 50/60Hz, 175W. HEPA-H14(8M2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 570(W)x610(D)x1100(H)		
P00899-AG P00899-OB P00899-MB P00899-GB	VBF-Office/1000 HEPA-H14. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-H14(13m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 520(W)x610(D)x1325(H).		
P00800	Replacement Prefilter for all VBF-700 Models. F5/G4. ISO COARE 70% 457x457x50mm.		
P00801	Replacement Prefilter for all VBF-1000 Models. F5/G4. ISO COARE 70% 457x457x100mm.		
P00802	Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.		
P00803	Replacement HEPA H14 (13m2) for all VBF-1000 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x150mm		






Catalogue 2021-11-01

Art. Nr.

P00580	Legs 4x125mm for all VBF-700/1000 Models.		
--------	---	--	---






Catalogue 2021-11-01

Art. Nr.

4.VBF-ADO HEPA-H14 Airpurifiers			
P00806-AG P00806-OB P00806-MB P00806-GB	VBF-ADO1/700 HEPA-H14. 1 Outlet D.200/45°. EC 1-phase, 220V, 50/60Hz, 175W. HEPA-H14(8M2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 570(W)x610(D)x1325(H).		
P00808-AG P00808-OB P00808-MB P00808-GB	VBF-ADO2/700 HEPA-H14. 2 Outlets.D.160/45°. EC 1-phase, 220V, 50/60Hz, 175W. HEPA-H14(8m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 570(W)x610(D)x1300(H).		
P00810-AG P00810-OB P00810-MB P00810-GB	VBF-ADO1/1000 HEPA-H14. 1 Outlet D.200/45°. EC 1-phase,220V, 50/60Hz,350W. HEPA-H14(13M2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 570(W)x610(D)x1550(H).		
P00812-AG P00812-OB P00812-MB P00812-GB	VBF-ADO2/1000 HEPA-H14. 2 Outlets D.200/45°. EC 1-phase,220V,50/60Hz,350W. HEPA-H14(13m2). EN 1822 (99.995%) Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 570(W)x610(D)x1550(H).		
P00814-AG P00814-OB P00814-MB P00814-GB	VBF-ADO4/1000 HEPA-H14. 4 Outlets D.160/45°. EC 1-phase,220V,50/60Hz,350W. HEPA-H14(13m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes. 570(W)x610(D)x1525(H).		





Catalogue 2021-11-01

Art. Nr.

P00800	Replacement Prefilter for all VBF-700 Models. F5/G4.ISO COARE 70% 457x457x50mm.		
P00801	Replacement Prefilter for all VBF-1000 Models. F5/G4.ISO COARE 70% 457x457x100mm.		
P00802	Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm		
P00803	Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.		
P00580	Legs 4x125mm for all VBF-700/1000 Models		







Catalogue 2021-11-01

Art. Nr.

5. VBF/H-ADO HEPA-H14 Airpurifiers			
P00843-AG P00843-OB P00843-MB P00843-GB	VBF/H-ADO1/700 HEPA-H14. 1 Outlet D.200/90°. EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8M2). EN 1822 (99.995%) Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2170(H).		
P00845-AG P00845-OB P00845-MB P00845-GB	VBF/H-ADO2/700 HEPA-H14. 2 Outlets D.160/90°. EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2105(H).		
P00847-AG P00847-OB P00847-MB P00847-GB	VBF/H-ADO1/1000 HEPA-H14. 1 Outlet D.200/90°. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-H14(13M2). EN 1822 (99.995%) Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2265(H).		
P00849-AG P00849-OB P00849-MB P00849-GB	VBF/H-ADO2/1000 HEPA-H14. 2 Outlets D.200/90°. EC 1-phase, 220V,50/60Hz,350W. HEPA-H14(13m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2265(H).		

Catalogue 2021-11-01






Art. Nr.

<p>P00851-AG P00851-OB P00851-MB P00851-GB</p>	<p>VBF/H-ADO4/1000 HEPA-H14. 4 Outlets D.160/90°. EC 1-phase, 220V,50/60Hz,350W. HEPA-H14(13m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2200(H).</p>		
<p>P00800</p>	<p>Replacement Prefilter for all VBF-700 Models. F5/G4.ISO COARE 70% 457x457x50mm.</p>		
<p>P00801</p>	<p>Replacement Prefilter for all VBF-1000 Models. F5/G4.ISO COARE 70% 457x457x100mm</p>		
<p>P00802</p>	<p>Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm</p>		
<p>P00803</p>	<p>Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.</p>		
<p>P00580</p>	<p>Legs 4x125mm for all VBF-700/1000 Models</p>		

Catalogue 2021-11-01

Art. Nr.

6. VBF "Superior 2-Zone" HEPA-H14 Airpurifiers

<p>P00830-AG P00830-OB P00830-MB P00830-GB</p>	<p>VBF/700/2-Zone FILTER UNIT. Vertical Duct D.200/1.05m. EC 1-phase, 220V, 50/60Hz, 175W. HEPA-H14(8M2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% Legs 4x125mm 570(W)x610(D)x2120(H).</p>		
<p>P00831-AG P00831-OB P00831-MB P00831-GB</p>	<p>VBF/1000/2-Zone FILTER UNIT. Vertical Duct D.200/0,8m. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-14(13M2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% Legs 4x125mm 570(W)x610(D)x2120(H).</p>		
<p>P00818-AG P00818-OB P00818-MB P00818-GB</p>	<p>Diffusion Hood 1m (2 Persons). Inlet D.200, Suspension Chains 4x2m and 4+4 Hooks.</p>		
<p>P00819-AG P00819-OB P00819-MB P00819-GB</p>	<p>Diffusion Hood 1.5m (4 Persons). Inlet D.200, Suspension Chains 4x2m and 4+4 Hooks.</p>		
<p>P00820-AG P00820-OB P00820-MB P00820-GB</p>	<p>Diffusion Hood 2m (6 persons). Inlet D.200, Suspension Chains 4x2m and 4+4 Hooks.</p>		

Catalogue 2021-11-01

Art. Nr.

P00829-AG P00829-OB P00829-MB P00829-GB	Diffusion Hood 2.5m (8 persons). Inlet D.200, Suspension Chains 4x2m and 4+4 Hooks.		
P00900-WH P00900-BE P00900-GB	Horizontal Duct work L=1,7m. 2 Bends 90°/D.200, Duct D.200 (0.8m+0.6m), Suspension Chains 4x2m and 2+2 Hooks.		
P00824-WH P00824-BE P00824-GB	Horizontal Duct work L=2m. 2 Bends 90°/D.200, Duct D.200 (0.8m+0.8m), Suspension Chains 4x2m and 2+2 Hooks.		
P00825-WH P00825-BE P00825-GB	Horizontal Duct work L=2.3 m. 2 Bends 90°/D.200, Duct D.200(1.05m+0.8m), Suspension Chains 4x2m and 2+2 Hooks.		
P00826-WH P00826-BE P00826-GB	Horizontal Duct work L=2,6m. 2 Bends 90/D.200, Duct D.200 (1.05m+1.05m), Suspension Chains 4x2m and 2+2 Hooks.		
P00827-WH P00827-BE P00827-GB	Horizontal Duct work L=2,8m. 2 Bends 90/D 200, Duct D.200 (0.8m+0.8m+0.8m), Suspension Chains 6x2m and 6+6 Hooks.		
P00836-WH P00836-BE P00836-GB	Horizontal Extension Duct L=0.6m/D.200, Male Coupling D.200, Suspension Chains 2x2m and 2+2 Hooks.		
P00837-WH P00837-BE P00837-GB	Horizontal Extension Duct L=0.8m/D.200, Male Coupling D.200, Suspension Chains 2x2m and 2+2 Hooks.		

Catalogue 2021-11-01






Art. Nr.

<p>P00838-WH P00838-BE P00838-GB</p>	<p>Horizontal Extension Duct L=1.05m/D.200, Male Coupling D.200, Suspension Chains 2x2m, 2+2 Hooks.</p>		
<p>P00800</p>	<p>Replacement Prefilter for all VBF-700 Models. F5/G4.ISO COARE 70% 457x457x50mm.</p>		
<p>P00801</p>	<p>Replacement Prefilter for all VBF-1000 Models. F5/G4.ISO COARE 70% 457x457x100mm.</p>		
<p>P00802</p>	<p>Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.</p>		
<p>P00803</p>	<p>Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.</p>		

Catalogue 2021-11-01





Art. Nr.

7. VBF “Perfect SPOT” HEPA-H14 Airpurifiers

<p>P00877-AG P00877-OB P00877-MB P00877-GB</p>	<p>VBF/ SPOT1/700 HEPA-H14. 1 Diffusion Arm D.160/2m. EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610 (D)x2170(H).</p>		
<p>P00878-AG P00878-OB P00878-MB P00878-GB</p>	<p>VBF/ SPOT1/700 HEPA-H14. 1 Diffusion Arm D.160/3m EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2670(H).</p>		
<p>P00881-AG P00881-OB P00881-MB P00881-GB</p>	<p>VBF/ SPOT2/700 HEPA-H14. 2 Diffusion Arms D.160/2m. EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2170(H).</p>		
<p>P00882-AG P00882-OB P00882-MB P00882-GB</p>	<p>VBF/ SPOT2/700 HEPA-H14. 2 Diffusion Arms D.160/3m. EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2670(H).</p>		
<p>P00885-AG P00885-OB P00885-MB P00885-GB</p>	<p>VBF/SPOT2/1000 HEPA-H14. 2 Diffusion Arms D.160/2m. EC 1-phase, 220V,50/60Hz,350W. HEPA-H14(13m2) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2400(H).</p>		



Catalogue 2021-11-01

Art. Nr.

<p>P00886-AG P00886-OB P00886-MB P00886-GB</p>	<p>VBF/SPOT2/1000 HEPA-H14. 2 Diffusion Arms D.160/3m. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-H14(13m²) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2900(H).</p>		
<p>P00889-AG P00889-OB P00889-MB P00889-GB</p>	<p>VBF/ SPOT4/1000 HEPA-H14 4 Diffusion Arms D.160/2m. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-H14(13m²) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2400(H).</p>		
<p>P00890-AG P00890-OB P00890-MB P00890-GB</p>	<p>VBF/ SPOT4/1000 HEPA-H14 4 Diffusion Arms D.160/3m. EC 1-phase, 220V, 50/60Hz,350W. HEPA-H14(13m²). EN 1822 (99.995%) Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2900(H).</p>		
<p>P00800</p>	<p>Replacement Prefilter for all VBF-700 Models. F5/G4.ISO COARE 70% 457x457x50mm.</p>		
<p>P00801</p>	<p>Replacement Prefilter for all VBF-1000 Models. F5/G4.ISO COARE 70% 457x457x100mm.</p>		
<p>P00802</p>	<p>Replacement HEPA H14 (8M²) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.</p>		

Catalogue 2021-11-01

Art. Nr.

P00803	Replacement HEPA H14 (13m ²) for all VBF-1000 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x150mm		
P00580	Legs 4x125mm for all VBF-700/1000 Models		

Catalogue 2021-11-01







Art. Nr.

8. VBF "H-SPOT" HEPA-H14 Airpurifiers

<p>P00854-AG P00854-OB P00854-MB P00854-GB</p>	<p>VBF/H-SPOT1/700 HEPA-H14. 1 High Diffusion Arm D.160/2m. EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8m² EN 1822 (99.995%)). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x 2400(H).</p>		
<p>P00855-AG P00855-OB P00855-MB P00855-GB</p>	<p>VBF/H-SPOT1/700 HEPA-H14. 1 High Diffusion Arm D.160/3m. EC 1-phase, 220V, 50/60Hz,175W. HEPA-H14(8m²) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2400(H).</p>		
<p>P00858-AG P00858-OB P00858-MB P00858-GB</p>	<p>VBF/H-SPOT2/700 HEPA-H14. 2 High Diffusion Arm D.160/2m. EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8m²) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2400(H)</p>		
<p>P00859-AG P00859-OB P00859-MB P00859-GB</p>	<p>VBF/H-SPOT2/700 HEPA-H14. 2 High Diffusion Arms D.160/3m. EC 1-phase, 220V,50/60Hz,175W. HEPA-H14(8m²) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2400(H).</p>		
<p>P00862-AG P00862-OB P00862-MB P00862-GB</p>	<p>VBF/H-SPOT2/1000 HEPA-H14. 2 High Diffusion Arms D.160/2m. EC 1-phase, 220V,50/60Hz,350W. HEPA-H14(13m²) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2600(H).</p>		


Catalogue 2021-11-01

Art. Nr.

<p>P00863-AG P00863-OB P00863-MB P00863-GB</p>	<p>VBF/H-SPOT2/1000 HEPA-H14. 2 High Diffusion Arms D.160/3m. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-H14(13m²) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2600(H).</p>		
<p>P00866-AG P00866-OB P00866-MB P00866-GB</p>	<p>VBF/H-SPOT4/1000 HEPA-H14. 4 High Diffusion Arms D.160/2m. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-H14(13m²) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2600(H).</p>		
<p>P00867-AG P00867-OB P00867-MB P00867-GB</p>	<p>VBF/H-SPOT4/1000 HEPA-H14 4 High Diffusion Arms D.160/3m. EC 1-phase, 220V, 50/60Hz, 350W. HEPA-H14(13m²) EN 1822 (99.995%). Prefilter F5/G4. ISO COARE 70% 4X125mm Castors with Brakes 570(W)x610(D)x2600(H).</p>		
<p>P00800</p>	<p>Replacement Prefilter for all VBF-700 Models. F5/G4. ISO COARE 70% 457x457x50mm.</p>		
<p>P00801</p>	<p>Replacement Prefilter for all VBF-1000 Models. F5/G4. ISO COARE 70% 457x457x100mm.</p>		
<p>P00802</p>	<p>Replacement HEPA H14 (8M²) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.</p>		

Catalogue 2021-11-01

Art. Nr.

P00803	Replacement HEPA H14 (8M2) for all VBF-700 Models. EN 1822 (99.995%) With Certificate and Leak Tested. 457x457x100mm.		
P00580	Legs 4x125mm for all VBF-700/1000 Models		